


DIVISION OF WATER RESOURCES LABORATORY CERTIFICATION BRANCH

In accordance with the provisions of N.C.G.S. 143-215.3 (a) (1), 143-215.3 (a)(10) and NCAC 2H.0800:



2026

ACZ Laboratories Inc.

Is hereby certified to perform environmental analysis as listed on the Laboratory's Certified Parameter List and report monitoring data to DEQ for compliance with NPDES effluent, surface water, groundwater, soil and pretreatment regulations.

By reference 15A NCAC 2H .0800 is made a part of this certificate.

This certificate does not guarantee validity of data generated, but indicates the methodology, equipment, quality control procedures, records, and proficiency of the laboratory have been examined and found to be acceptable.

This certificate shall be valid until **12/31/2026**

Certificate No. 697

EPA Lab ID CO00028

A handwritten signature in black ink, appearing to read "Beth Swanson", is written over a horizontal line.

Beth Swanson

North Carolina Wastewater/Groundwater Laboratory Certification

Certified Parameters Listing

Lab Name: ACZ Laboratories Inc.
Address: 2773 Downhill Dr.
Steamboat Springs, CO 80487

Certificate Number: 697
Effective Date: 1/1/2026
Expiration Date: 12/31/2026
Date of Last Amendment: 7/5/2023

The above named laboratory, having duly met the requirements of 15A NCAC 2H.0800, is hereby certified for the measurement of the parameters listed below.

CERTIFIED PARAMETERS

METALS

ALUMINUM

EPA 200.8_Rev. 5.4 (1994) (Aqueous)
SW-846 6010 D (Aqueous)
SW-846 6010 D (Non-Aqueous)

ANTIMONY

EPA 200.8_Rev. 5.4 (1994) (Aqueous)
SW-846 6020 B (Aqueous)
SW-846 6020 B (Non-Aqueous)

ARSENIC

EPA 200.8_Rev. 5.4 (1994) (Aqueous)
SW-846 6020 B (Aqueous)
SW-846 6020 B (Non-Aqueous)

BARIUM

EPA 200.7_Rev. 4.4 (1994) (Aqueous)
SW-846 6010 D (Aqueous)
SW-846 6010 D (Non-Aqueous)

BERYLLIUM

EPA 200.8_Rev. 5.4 (1994) (Aqueous)
SW-846 6020 B (Aqueous)
SW-846 6020 B (Non-Aqueous)

BORON

EPA 200.7_Rev. 4.4 (1994) (Aqueous)
SW-846 6010 D (Aqueous)
SW-846 6010 D (Non-Aqueous)

CADMIUM

EPA 200.8_Rev. 5.4 (1994) (Aqueous)
SW-846 6020 B (Aqueous)
SW-846 6020 B (Non-Aqueous)

CALCIUM

EPA 200.7_Rev. 4.4 (1994) (Aqueous)
SW-846 6010 D (Aqueous)
SW-846 6010 D (Non-Aqueous)

CHROMIUM, TOTAL

EPA 200.8_Rev. 5.4 (1994) (Aqueous)

SW-846 6010 D (Aqueous)

SW-846 6010 D (Non-Aqueous)

COBALT

EPA 200.7_Rev. 4.4 (1994) (Aqueous)
SW-846 6010 D (Aqueous)
SW-846 6010 D (Non-Aqueous)

COPPER

EPA 200.8_Rev. 5.4 (1994) (Aqueous)
SW-846 6010 D (Aqueous)
SW-846 6010 D (Non-Aqueous)

IRON

EPA 200.7_Rev. 4.4 (1994) (Aqueous)
SW-846 6010 D (Non-Aqueous)

LEAD

EPA 200.8_Rev. 5.4 (1994) (Aqueous)
SW-846 6020 B (Aqueous)
SW-846 6020 B (Non-Aqueous)

LITHIUM

EPA 200.7_Rev. 4.4 (1994) (Aqueous)
SW-846 6010 D (Aqueous)
SW-846 6010 D (Non-Aqueous)

MAGNESIUM

EPA 200.7_Rev. 4.4 (1994) (Aqueous)
SW-846 6010 D (Aqueous)
SW-846 6010 D (Non-Aqueous)

MANGANESE

EPA 200.7_Rev. 4.4 (1994) (Aqueous)
SW-846 6010 D (Aqueous)
SW-846 6010 D (Non-Aqueous)

MOLYBDENUM

EPA 200.8_Rev. 5.4 (1994) (Aqueous)
SW-846 6010 D (Aqueous)
SW-846 6010 D (Non-Aqueous)

NICKEL

EPA 200.8_Rev. 5.4 (1994) (Aqueous)

This certification requires maintenance of an acceptable quality assurance program, use of approved methodology, and satisfactory performance on evaluation samples. Laboratories are subject to civil penalties and/or decertification for infractions as set forth in 15A NCAC 2H.0807.

North Carolina Wastewater/Groundwater Laboratory Certification

Certified Parameters Listing

Lab Name: ACZ Laboratories Inc.
Address: 2773 Downhill Dr.
Steamboat Springs, CO 80487

Certificate Number: 697
Effective Date: 1/1/2026
Expiration Date: 12/31/2026
Date of Last Amendment: 7/5/2023

The above named laboratory, having duly met the requirements of 15A NCAC 2H.0800, is hereby certified for the measurement of the parameters listed below.

CERTIFIED PARAMETERS

SW-846 6010 D (Aqueous)	
SW-846 6010 D (Non-Aqueous)	
PHOSPHORUS, TOTAL (METALS)	
EPA 200.7_Rev. 4.4 (1994) (Aqueous)	
SW-846 6010 D (Non-Aqueous)	
POTASSIUM	
EPA 200.7_Rev. 4.4 (1994) (Aqueous)	
SW-846 6010 D (Aqueous)	
SW-846 6010 D (Non-Aqueous)	
SELENIUM	
EPA 200.8_Rev. 5.4 (1994) (Aqueous)	
SW-846 6020 B (Aqueous)	
SW-846 6020 B (Non-Aqueous)	
SILVER	
EPA 200.8_Rev. 5.4 (1994) (Aqueous)	
SW-846 6010 D (Aqueous)	
SW-846 6010 D (Non-Aqueous)	
SODIUM	
EPA 200.7_Rev. 4.4 (1994) (Aqueous)	
SW-846 6010 D (Aqueous)	
SW-846 6010 D (Non-Aqueous)	
STRONTIUM	
EPA 200.7_Rev. 4.4 (1994) (Aqueous)	
SW-846 6010 D (Aqueous)	
SW-846 6010 D (Non-Aqueous)	
THALLIUM	
EPA 200.8_Rev. 5.4 (1994) (Aqueous)	
SW-846 6020 B (Aqueous)	
SW-846 6020 B (Non-Aqueous)	
TIN	
EPA 200.7_Rev. 4.4 (1994) (Aqueous)	
SW-846 6010 D (Aqueous)	
SW-846 6010 D (Non-Aqueous)	
TITANIUM	
EPA 200.7_Rev. 4.4 (1994) (Aqueous)	

VANADIUM

EPA 200.7_Rev. 4.4 (1994) (Aqueous)
SW-846 6010 D (Aqueous)
SW-846 6010 D (Non-Aqueous)
ZINC
EPA 200.8_Rev. 5.4 (1994) (Aqueous)
SW-846 6010 D (Aqueous)
SW-846 6010 D (Non-Aqueous)

This certification requires maintenance of an acceptable quality assurance program, use of approved methodology, and satisfactory performance on evaluation samples. Laboratories are subject to civil penalties and/or decertification for infractions as set forth in 15A NCAC 2H.0807.